

FIG.1

CONVENTIONAL e-COMMERCE (PRIOR ART)





FIG. 2

INTERNET BUSINESS (PRIOR ART)



MARKET - LEADING

BUY

USER

e-MARKETPLACE

CLOSED e-MARKET (MEMBERSHIP SYSTEM)

e-CATALOG OPENED TO PUBLIC

TRANSACTION PROCEDURE (BID, NEGOTIATION, AUCTION)

SHOP  
e-CATALOG  
PRESENTED

e-PROCUREMENT

BUY

COMPANY

SELL

USER

e-COMMERCE

SUPPLIER


MANUFACTURER

SALES (N:1)

PURCHASE (1:N)


FIG. 3

HOW TO COLLECT CONTENT AND TO MAKE IT PUBLIC




4/17

FIG. 4



5/17

FIG. 5




FOOTNOTED E1062860

6/17


FIG. 6

SCS CLASSIFICATION SYSTEM



7/17

FIG. 7A



8/17

FIG. 7B

**A**

Standard Ball Bearings

Business Supplies  
Operational Supplies  
Pipes, Valves and Fittings  
Bearings  
Ball Bearings  
Standard Ball Bearings  
Ball Thrust Bearings  
Double Row Bearings  
Super Precision Bearings  
Roller Bearings  
Linear Bearings  
Spherical Bearings  
Needle Bearings  
Plastic Bearings  
Bronze Bearings  
Motors  
Electrical Supplies  
Mill Supplies  
Safety Supplies

Find;

Standard Ball Bearings

Standard Ball Bearings

**B**

Standard Ball Bearings

Supplier

Name

Supplier Part Number

Description

Inside Dimeter

Load Capacity

Motion Industries

10 : 20

mm

**C**

Results: Standard Ball Bearings

Standard Ball Bearings

Supplier Part Number

Description

300-2235-00

BRQ, Ball Sealed Deep - Groove Metric, 85mm x 72mm x ...

300-4495-00

BRQ, Ball Sealed Deep - Groove Metric, 40mm x 80mm x ...

300-1330-00

BRQ, Ball Sealed Deep - Groove Metric, 45mm x 85mm x ...

300-0189-00

BRQ, Ball Deep - Groove Metric, 50mm x 90mm x 20mm

300-8023-00

BRQ, Ball Deep - Groove Metric, 30mm x 62mm x 16mm

300-8922-00

BRQ, Ball Deep - Groove Metric, 15mm x 25mm x 11mm

Count

Page 1

Transpose

Remove

Remove All

Page: 1/1

Row: 1/25

Results, Sta...

Dashboard

Class Bro...


Search:Sta...

Ready



9/17

FIG. 8



10/17

FIG. 9

ESTIMATE CALCULATION FLOW






FIG. 10

PURCHASE CONDITION SETTLEMENT FLOW




12/17

FIG. 11




13/17

FIG. 12



14/17

FIG. 13



15/17


FIG. 14

50

☐ Comparison: Memory Controller-VIP

	<input checked="" type="checkbox"/> Item 19	<input type="checkbox"/> Item 20	<input type="checkbox"/> Item 21
Memory Controller-VIP	DRAM CONTROLLER	CACHE CONTROLLER	FED CONTROLLER
Memory Controller Type	NONE	NONE	NONE
External Bus Structure	18	32	16
Address Bus Width	0	0	0
External Data Bus Width	8	20	20
Clock Freq-Max(freq)(MHz)	NO	NO	NO
Parity Generator Checker	NO	NO	NO
Error Correction	NO	NO	NO
Cascadability	NO	NO	NO
Burst Transfer Mode	NO	YES	NO
Snooping	NO	NO	NO
On Chip Prog Delay Line	NO	NO	NO
Memory Organization	2M x 8	128K x 8	NO
Number of Banks	2	NO	NO
Propagation delay-Max(tpd)(ns)	50	NO	NO

SECTION A-A

[illegible]



17/17

FIG. 16

